


## 24Vdc LED Feature Light X-Sign



Housing	Thermoplastic polymers
Diffuser	PMMA
Power supply	24Vdc
Finishes	Steel

Colour Appearance	Natural white
Colour Temperature	3900 Kelvin
Luminous Efficacy	48 lm/W
Colour Rendering Index	Ra 80



### Feature Light


Stunning patented design for something truly different.

### Surface Installation

Quick and easy to install, X-SIGN is ideal for surface wall mounting under kitchen cabinets and under shelves via a simple screw-on fitting. While X-SIGN 4F suits flat surface mounting; think walls, ceilings and so on.


### No Dot Effect

Equipped with a special EDGE LED cluster that provides a wide projection beam, allowing for homogeneous lighting with no-dot effect.



# 24Vdc LED Feature Light


## X-Sign



### X-Sign – TLD Master and Slave

- Designed in Italy to comply with Australian/NZ standards
- EDGE LEDs – total 10W
- 24Vdc
- Available in Steel finish and Natural White light colour
- Surface mounted
- Ideal for under cabinets and shelves
- No visible dots
- Patented design

Item Code	Product Description	Light Colour	Finish	Sales Unit
DOM836	X-Sign Master, 10W, 24Vdc	Natural White	Steel	Ea
DOM835	X-Sign Slave, 10W, 24Vdc	Natural White	Steel	Ea



### X-Sign 4F – TLD Master and Slave

- Designed in Italy to comply with Australian/NZ standards
- EDGE LEDs – total 10W
- 24Vdc
- Available in Steel finish and Natural White light colour
- Surface mounted
- Ideal for wall wall mounting
- No visible dots
- Patented design

Item Code	Product Description	Light Colour	Finish	Sales Unit
DOM838	X-Sign 4F Master, 10W, 24Vdc	Natural White	Steel	Ea
DOM837	X-Sign 4F Slave, 10W, 24Vdc	Natural White	Steel	Ea



### 24Vdc Extension Cable – Micro24 Plug

- Extends cable between LED driver distribution block and light fitting
- With male and female Micro 24 connectors


Item Code	Product Description	Sales Unit
DOM839	Extension Cable – Micro 24 Plug – 1 metre	Ea
DOM840	Extension Cable – Micro 24 Plug – 2 metre	Ea



### Distributor Block Extension – Micro 24 Plug

- Distributor block extension
- Suitable for Domus 24Vdc lights
- Micro24 addendum distributor with 150 mm cord and M24 male connector

Item Code	Product Description	Sales Unit
DOM841	Distributor Block – Micro 24 Plug	Ea



### Micro24 LED Drivers – 24Vdc

- Fully approved to Australian/NZ standards
- Input Wiring: 2m lead and standard Australian/NZ plug
- Output Wiring: 500mm cord with 10 way Micro 24 female distributor

Item Code	Product Description	Sales Unit
DOM826	Micro 24 220-240Vac LED Driver, 15W	Ea
DOM827	Micro 24 220-240Vac LED Driver, 30W	Ea
DOM828	Micro 24 220-240Vac LED Driver, 75W	Ea

