


ALUNANT

A Versatile Soft Close Slim Wall Drawer System





3 Standard Drawers











MAXIMUM VERSATILITY

Created with versatility in mind, ALUNAN T's modular design allows for every possibility. Create a wide variety of drawer heights using just three standard drawers and a thoughtfully designed selection of components.

Maximum possibility from minimum inventory.

Contents

Introduction.....	2
-------------------	---

	Standard Drawer	Internal Drawer
Drawer S and Internal Drawer S Drawer height 88mm	 6	 8
Drawer T and Internal Drawer T Drawer height 120mm	 10	 12
Drawer K and Internal Drawer K Drawer height 175mm	 14	 16
Drawer HR Drawer height 208mm	 18	
Drawer HS Drawer height 208mm	 20	
Drawer FS Drawer height 272mm	 22	
Pantry Kit	 24	

Accessories.....	26
------------------	----

Cabinet Profile Fixing System.....	27
------------------------------------	----

Technical Information.....	28
----------------------------	----

Drawer Organisers.....	33
------------------------	----

Versatile Solutions Tailored for Every Space

Flexibility

Simple and convenient

Each side extension panel is designed with its own rear fixing bracket, so selecting the correct components is easy.

Slim Profile

Clean and modern lines

ALUNAN T's slim and straight line drawer system optimises storage space, leaving no drawer edges and corners wasted, while embracing modern design.

Simple System


Thoughtful modular design

3 standard drawer heights cover your bases with railing and side extension panels allowing versatile customisation for your client's specific needs.

Branding Cap

Easy customisation

A customisable branding cap allows you to add your own branding to the drawer side to create differentiation. Talk to us about MOQs and timelines.




Latest Technology Powered by RITMA T

ALUNAN T cabinet members are fully synchronised, providing a smooth slide during opening and closing.

I-Channel, with nests of roller bearings, ensures smoother and quieter sliding performance even with a heavy load.

Heavy duty 35kg standard carrying capacity, with 500mm and 550mm also available with extra heavy duty 60kg slides.

The integrated lateral stabiliser prevents wide drawers from skewing when opening and closing.



Smoother and Quieter Than Ever

The **Sylent** integrated cushioning soft close system ensures a perfectly controlled drawer movement through its load-adaptive dampening action.

3-Dimensional Adjustment Flexible and Easily Accessible

ALUNAN T offers easily accessed, effortless adjustment options in three dimensions – height, side and tilt – making it easy to keep cabinet fronts aligned.

■ Tilt Adjustment


Easily fine-tune the front panel angle in just a few straight forward steps with a patented, easily accessed tilt adjustment.

Tilt: +2mm/-1mm

■ Height and Side Adjustment







ALUNAN T is designed for efficient installation including adjustment options for height and side. Experience seamless versatility and user-friendly functionality for perfect alignment in any space.


Height: +/-2mm
Side: +/-1.5mm



3 Standard Drawers Maximum Versatility

ALUNAN T is designed with versatility in mind. From 3 standard drawer heights, a wide range of drawers can be created with the addition of railings and side extension panels.

		
Drawer S 88mm	Drawer T 120mm	Drawer K 175mm
		
Drawer HS 208mm (88mm + 120mm) Build with Drawer S and 120mm side extension panel	Drawer HR 208mm (88mm + 120mm) Build with Drawer S and rectangular railing	Drawer FS 272mm (88mm + 184mm) Build with Drawer S and 184mm side extension panel





Colour Range

ALUNAN T features a new surface finishing with a silky soft touch. Standard colour range for drawers, side extension panels, railings and internal drawers consists of classic Silk White Matte and contemporary Umbra Grey.



ALUNAN T S Drawer

- Steel drawer side 88mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Kit components

Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
71302468	71301468	White	300mm	Single Drawer Kit
71352468	71351468	White	350mm	Single Drawer Kit
71402468	71401468	White	400mm	Single Drawer Kit
71452468	71451468	White	450mm	Single Drawer Kit
71502468	71501468	White	500mm	Single Drawer Kit
71502469	71501469	White	500mm	Industrial Pack*
71552468	71551468	White	550mm	Single Drawer Kit
71452478	71451478	Umbra Grey	450mm	Single Drawer Kit
71502478	71501478	Umbra Grey	500mm	Single Drawer Kit
71552478	71551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
71502568	71501568	White	500mm	Single Drawer Kit
71552568	71551568	White	550mm	Single Drawer Kit


*24 complete drawer sets

Standard Drawer S

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm

300 / 350mm

400mm

450mm

500 / 550mm




60kg

Drawer Length

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm


500 / 550mm



Cutting Dimensions for 16mm Chipboard

Back panel

Width = internal cabinet width - 87mm
Height = 74mm



Bottom panel

Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



S Internal Drawer shown with T Standard Drawer

ALUNAN T S Drawer Internal

- Steel drawer side 88mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**
- **Order front panel separately (1035mm lengths to suit 1200mm drawers, trimmable to suit your project)**

Item Code	Colour	Runner Length	Sales Unit
-----------	--------	---------------	------------


35kg Capacity			
71303468	White	300mm	Single Drawer Kit
71353468	White	350mm	Single Drawer Kit
71403468	White	400mm	Single Drawer Kit
71453468	White	450mm	Single Drawer Kit
71503468	White	500mm	Single Drawer Kit
71553468	White	550mm	Single Drawer Kit
71453478	Umbra Grey	450mm	Single Drawer Kit
71503478	Umbra Grey	500mm	Single Drawer Kit
71553478	Umbra Grey	550mm	Single Drawer Kit

60kg Capacity			
71503568	White	500mm	Single Drawer Kit
71553568	White	550mm	Single Drawer Kit

Item Code	Colour	Length	Sales Unit
Internal Drawer Front Panel, Trimmable			
AL101	White	1035mm	Piece
AL102	Umbra Grey	1035mm	Piece

RLP 208.000 Internal Drawing Locking piece (to prevent drawer base bow and to support wide drawer fronts) is supplied with internal drawer front brackets.


Front panel and front railings must be ordered separately.




Kit components

Internal Drawer S

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


300 / 350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length

500 / 550mm


Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel


Width = internal cabinet width - 87mm
Height = 74mm



Bottom panel

Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



Cutting Dimensions for Front Panel (AL101/AL102)





ALUNAN T T Drawer

- Steel drawer side 120mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
72352468	72351468	White	350mm	Single Drawer Kit
72402468	72401468	White	400mm	Single Drawer Kit
72452468	72451468	White	450mm	Single Drawer Kit
72502468	72501468	White	500mm	Single Drawer Kit
72502469	72501469	White	500mm	Industrial Pack*
72552468	72551468	White	550mm	Single Drawer Kit
72452478	72451478	Umbra Grey	450mm	Single Drawer Kit
72502478	72501478	Umbra Grey	500mm	Single Drawer Kit
72552478	72551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
72502568	72501568	White	500mm	Single Drawer Kit
72552568	72551568	White	550mm	Single Drawer Kit


*24 complete drawer sets

Standard Drawer T

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length


500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel
Width = internal cabinet width - 87mm
Height = 106mm



Bottom panel
Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



T Internal Drawer shown with T Standard Drawer


ALUNAN T T Drawer Internal

- Steel drawer side 120mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**
- **Order front panel separately (1035mm lengths to suit 1200mm drawers, trimmable to suit your project)**

Item Code	Colour	Runner Length	Sales Unit
35kg Capacity			
72353468	White	350mm	Single Drawer Kit
72403468	White	400mm	Single Drawer Kit
72453468	White	450mm	Single Drawer Kit
72503468	White	500mm	Single Drawer Kit
72553468	White	550mm	Single Drawer Kit
72453478	Umbra Grey	450mm	Single Drawer Kit
72503478	Umbra Grey	500mm	Single Drawer Kit
72553478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity			
72503568	White	500mm	Single Drawer Kit
72553568	White	550mm	Single Drawer Kit

RLP 208.000 Internal Drawing Locking piece (to prevent drawer base bow and to support wide drawer fronts) is supplied with internal drawer front brackets.


Front panel and front railings must be ordered separately.




Item Code	Colour	Length	Sales Unit
Internal Drawer Front Panel, Trimmable			
AL101	White	1035mm	Piece
AL102	Umbra Grey	1035mm	Piece

Internal Drawer T

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length


500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




Cutting Dimensions for 16mm Chipboard

Back panel
Width = internal cabinet width - 87mm
Height = 106mm



Bottom panel
Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



Cutting Dimensions for Front Panel (AL101/AL102)





ALUNAN T K Drawer


- Steel drawer side 175mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
73302468	73301468	White	300mm	Single Drawer Kit
73352468	73351468	White	350mm	Single Drawer Kit
73402468	73401468	White	400mm	Single Drawer Kit
73452468	73451468	White	450mm	Single Drawer Kit
73502468	73501468	White	500mm	Single Drawer Kit
73552468	73551468	White	550mm	Single Drawer Kit
73452478	73451478	Umbra Grey	450mm	Single Drawer Kit
73502478	73501478	Umbra Grey	500mm	Single Drawer Kit
73552478	73551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
73502568	73501568	White	500mm	Single Drawer Kit
73552568	73551568	White	550mm	Single Drawer Kit

Standard Drawer K

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


300 / 350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length


500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel
Width = internal cabinet width - 87mm
Height = 161mm



Bottom panel
Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm




ALUNAN T K Drawer Internal

- Steel drawer side 175mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Integrated lateral stabiliser
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**
- **Order front panel (1035mm) and railing (1045mm) separately. These are in lengths to suit 1200mm drawers and are trimmable to suit your project.**

RLP 208.000 Internal Drawing Locking piece (to prevent drawer base bow and to support wide drawer fronts) is supplied with internal drawer front brackets.

Front panel and front railings must be ordered separately.



Item Code	Colour	Runner Length	Sales Unit
-----------	--------	---------------	------------

35kg Capacity			
73303468	White	300mm	Single Drawer Kit
73353468	White	350mm	Single Drawer Kit
73403468	White	400mm	Single Drawer Kit
73453468	White	450mm	Single Drawer Kit
73503468	White	500mm	Single Drawer Kit
73553468	White	550mm	Single Drawer Kit
73453478	Umbra Grey	450mm	Single Drawer Kit
73503478	Umbra Grey	500mm	Single Drawer Kit
73553478	Umbra Grey	550mm	Single Drawer Kit


60kg Capacity			
73503568	White	500mm	Single Drawer Kit
73553568	White	550mm	Single Drawer Kit

Item Code	Colour	Length	Sales Unit
Internal Drawer Front Panel, Trimmable			
AL101	White	1035mm	Piece
AL102	Umbra Grey	1035mm	Piece


Internal Drawer Front Railing, Trimmable			
AL103	White	1045mm	Piece
AL104	Umbra Grey	1045mm	Piece

Internal Drawer K

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


300 / 350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length

500 / 550mm


Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel


Width = internal cabinet width - 87mm
Height = 161mm



Bottom panel

Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm

Cutting Dimensions for Front Panel (AL101/AL102)



Width = Internal cabinet width - 132mm

Cutting Dimensions for Regular Cross Railing (AL103/AL104)





Width = Internal cabinet width - 122mm



ALUNAN T HR Drawer

- Steel drawer side 88mm PLUS rectangular side railing at 208mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Kit components

Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
74302468	74301468	White	300mm	Single Drawer Kit
74352468	74351468	White	350mm	Single Drawer Kit
74402468	74401468	White	400mm	Single Drawer Kit
74452468	74451468	White	450mm	Single Drawer Kit
74502468	74501468	White	500mm	Single Drawer Kit
74502469	74501469	White	500mm	Industrial Pack*
74552468	74551468	White	550mm	Single Drawer Kit
74452478	74451478	Umbra Grey	450mm	Single Drawer Kit
74502478	74501478	Umbra Grey	500mm	Single Drawer Kit
74552478	74551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
74502568	74501568	White	500mm	Single Drawer Kit
74552568	74551568	White	550mm	Single Drawer Kit


*24 complete drawer sets

Standard Drawer HR

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


300 / 350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length

500 / 550mm


Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel

Width = internal cabinet width - 87mm
Height = 194mm





Bottom panel

Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



ALUNAN T HS Drawer

- Steel drawer side 88mm PLUS side extension panel 120mm = Total Side Height 208mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
75352468	75351468	White	350mm	Single Drawer Kit
75402468	75401468	White	400mm	Single Drawer Kit
75452468	75451468	White	450mm	Single Drawer Kit
75502468	75501468	White	500mm	Single Drawer Kit
75502469	75501469	White	500mm	Industrial Pack*
75552468	75551468	White	550mm	Single Drawer Kit
75452478	75451478	Umbra Grey	450mm	Single Drawer Kit
75502478	75501478	Umbra Grey	500mm	Single Drawer Kit
75552478	75551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
75502568	75501568	White	500mm	Single Drawer Kit
75552568	75551568	White	550mm	Single Drawer Kit


*24 complete drawer sets

Standard Drawer HS

Space Requirements and Front Installation Dimensions



Back Installation Dimensions



Cabinet Profile Screw Positions

35kg

Drawer Length


350mm

400mm

450mm

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length

500 / 550mm


Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel

Width = internal cabinet width - 87mm
Height = 194mm





Bottom panel

Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



ALUNAN T FS Drawer


- Steel drawer side 88mm PLUS side extension panel 184mm = Total Side Height 272mm
- Roller bearing concealed runners
- Full extension with synchro control
- **Sylent** integrated cushioning system
- Load capacity 35kg/60kg – see table at right
- **3-dimensional adjustment of front panel**




Item Code Screw On	Item Code Fast Fix	Colour	Runner Length	Sales Unit
35kg Capacity				
76502468	76501468	White	500mm	Single Drawer Kit
76552468	76551468	White	550mm	Single Drawer Kit
76502478	76501478	Umbra Grey	500mm	Single Drawer Kit
76552478	76551478	Umbra Grey	550mm	Single Drawer Kit
60kg Capacity				
76502568	76501568	White	500mm	Single Drawer Kit
76552568	76551568	White	550mm	Single Drawer Kit

Standard Drawer FS

Space Requirements and Front Installation Dimensions



Back Installation Dimensions




Cabinet Profile Screw Positions

35kg

Drawer Length

500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm




60kg

Drawer Length


500 / 550mm

Min. internal cabinet depth = drawer length + 3 mm
Actual loss of extension = 0 mm



Cutting Dimensions for 16mm Chipboard

Back panel
Width = internal cabinet width - 87mm
Height = 258mm




Bottom panel
Width = internal cabinet width - 75mm
Length (Wooden Back) = drawer length - 24mm



ALUNAN T Pantry Kit

- 2 Pantry Kit Options:
5 x K Drawer Internal OR
1 x S Drawer Internal and 4 x K Drawer Internal
- Refer to page 8 for S Drawer Internal specs
- Refer to page 16 for K Drawer Internal specs



Pantry Kit with 1 x S Internal Drawer and 4 x K Internal Drawer

Item Code	Colour	Runner Length	Sales Unit
-----------	--------	---------------	------------

Pantry Kit with 5 x K Internal Drawers

79453402	White	450mm	Pantry Kit
79503406	White	500mm	Pantry Kit
79553410	White	550mm	Pantry Kit
79453404	Umbra Grey	450mm	Pantry Kit
79503408	Umbra Grey	500mm	Pantry Kit
79553412	Umbra Grey	550mm	Pantry Kit

Pantry Kit with 1 x S Internal Drawer and 4 x K Internal Drawers

79453401	White	450mm	Pantry Kit
79503405	White	500mm	Pantry Kit
79553409	White	550mm	Pantry Kit
79453403	Umbra Grey	450mm	Pantry Kit
79503407	Umbra Grey	500mm	Pantry Kit
79553411	Umbra Grey	550mm	Pantry Kit

Item Code	Colour	Length	Sales Unit
-----------	--------	--------	------------

Internal Drawer Front Panel, Trimmable

AL101	White	1035mm	Piece
AL102	Umbra Grey	1035mm	Piece


Internal Drawer Front Railing, Trimmable

AL103	White	1045mm	Piece
AL104	Umbra Grey	1045mm	Piece


Pantry Kit

Space Requirements and Front Installation Dimensions

Drawer Locations



Hinge Locations



Recommended Cabinet Width 450mm – 1200mm

Important Notice:



Use hinges with zero door protrusion when opened at 90° angle and more, or Spacer 25mm. See page 34. Line boring information is based on cabinet base panel 19mm thick. Changes in thickness of the first drawer from bottom offsets all dimensions on the cabinet and front door.

ALUNAN T Accessories

Safety Locks


- Safety lock locks drawer side to runner
- Useful for safe transportation of complete cabinets as for RVs and vanities

Item Code	Description	Sales Unit
AL105	Alunan Safety Lock – Left Hand	Piece
AL106	Alunan Safety Lock – Right Hand	Piece





Marking Devices

Item Code	Description	Sales Unit
AL107	Drawer Front Marking Jigs	Pair
AL108	Railing Marking Template	Piece




Drawer Front Marking Jigs



Railing Marking Template

Other Accessories

Item Code	Description	Sales Unit
RLP201.000	Standard Drawer Front Locking Piece	Piece
CRF49.WH	Runner Flute for 25mm Spacing with Standard System 32 Holes	Piece



Cabinet Profile Fixing System

Cabinet Profile Fixing Positions

Fixing onto cabinet

A Chipboard screws
86.015
Square Drive No. 2
Non-Rib Screws
6g x 5/8

B Euro screws
ES6X11R2
Square Drive Euro
Screw No. 2
6 x 11

35kg

300, 350mm

400mm

450mm


500, 550mm

60kg


500, 550mm

Technical Information


Standard Drawer S / T / K - Assembly




Standard Drawer HS / FS - Assembly



Standard Drawer S / T - Front Panel Assembly




Standard Drawer K - Front Panel Assembly




Technical Information


Standard Drawer HS / FS - Front Panel and Side Extend Assembly




Standard Drawer HR Rectangular Rail - Front Panel and Railing Assembly







Internal Drawer S / T - Assembly







Internal Drawer K - Assembly



Technical Information




Technical Information




Technical Information


Drawer Removal




Standard Drawer S / T - Front Panel Removal




Standard Drawer K - Front Panel Removal



Standard Drawer HR Rectangular Rail - Removal



Standard Drawer HS / FS Side Extend - Removal



Drawer Organisers

With FIT's fantastic range of drawer organisers, you can turn chaotic kitchen drawers into tidy spaces that are efficient to access and a joy to use. High quality plastic? Modular stainless steel? Freeform? Yes!



Plastika Minima Cutlery Drawer Organisers


A place for everything and everything in its place!

- Very practical yet attractive drawer organiser trays
- High quality, environmentally compatible, made in Germany
- Meets European standard for plastics intended for food contact
- Straight sides and small corner radius for strength
- 52mm height suits a wide range of drawers
- Size options suit drawers from 300mm internal width
- Edges may be trimmed to fit non-standard drawer widths
- Orion Grey with ‘pearl’ textured finish, and Classic White



CT800GY Tray and CTSPBGY Insert
Photo courtesy of Westwood Kitchens, New Plymouth

Item Code White	Item Code Orion Grey	Description	Cab	Min W	Min H	Min D
CT300WH	—	Minima Cutlery Tray	300	200-250	52	440-500
CT400WH	—	Minima Cutlery Tray	400	300-350	52	440-500
CT450WH	CT450GY	Minima Cutlery Tray	450	350-400	52	440-500
CT500WH	CT500GY	Minima Cutlery Tray	500	400-450	52	440-500
CT550WH	—	Minima Cutlery Tray	550	450-500	52	440-500
CT600WH	CT600GY	Minima Cutlery Tray	600	500-550	52	440-500
CT700WH	CT700GY	Minima Cutlery Tray	700	600-650	52	440-500
CT800WH	CT800GY	Minima Cutlery Tray	800	700-750	52	440-500
CT900WH	CT900GY	Minima Cutlery Tray	900	800-850	52	440-500
—	CT1000GY	Minima Cutlery Tray	1000	900-950	52	440-500



High quality,
environmentally
compatible, made
in Germany

Plastika Spice Bottle Organiser Trays


Stop the time consuming, frustrating spice bottle search!

- High quality, environmentally compatible, made in Germany
- Options to suit drawers from 300mm internal width
- Available in 2 finishes to match Plastika Minima cutlery trays
- Easy-clean surface and very easily trimmed to fit drawer

Item Code White	Item Code Orion Grey	Description	Cab	Min W	Min H	Min D
ST.400.WT	ST400GY	Spice Bottle Tray	400	300-350	52	440-500
ST.500.WT	ST500GY	Spice Bottle Tray	500	400-450	52	440-500
ST.600.WT	ST600GY	Spice Bottle Tray	600	500-550	52	440-500



Photo courtesy of Steadfast Joinery, Dunedin



Spice & Knife Block Inserts

- Robust, high quality trays made in Germany
- Recyclable and environmentally compatible high impact polystyrene
- Comply with European standards for plastic materials intended for food contact applications
- Fits neatly into the wide space in cutlery trays for 600mm cabinet and wider
- Contemporary Orion Grey with ‘pearl’ textured finish

Item Code	Description	Min W	Min H	Min D
CTKBPGY	Knife Block Insert, Orion Grey	154	28	416
CTSPBGY	Spice Bottle Insert, Orion Grey	148	38	409





Photo courtesy of Westwood Kitchens, New Plymouth

Mono Multi Purpose Movable Drawer Insert

- Fits into drawers from 400mm wide
- Can be placed anywhere in the drawer to suit individual needs
- Closed in edges
- Anti slip surface
- Available in Classic White

Item Code	Description	Cab	Min W	Min H	Min D
DRO120	Movable Insert, White	300	326	50	460-480




Universal Utensil Organisers

- High quality, environmentally compatible, made in Germany
- Options to suit drawers from 300mm internal width
- Available in 2 finishes – White and Orion Grey
- Orion Grey has 'pearl' textured finish
- Easy-clean surface and easily trimmed to fit drawer

Item Code White	Item Code Orion Grey	Description	Cab	Min W	Min H	Min D
UT.400.WT	UT400GY	Universal Utensil Tray	400	300-350	52	440-500
UT.450.WT	UT450GY	Universal Utensil Tray	450	350-400	52	440-500
UT.500.WT	UT500GY	Universal Utensil Tray	500	400-450	52	440-500
UT.600.WT	UT600GY	Universal Utensil Tray	600	500-550	52	440-500



Photo courtesy of Kitchen Studio, Palmerston North



300-350 350-400 400-450 500-550

Economy Cutlery & Utensil Organisers

- Tough, injection-moulded economy drawer organisers made here in New Zealand
- Available in White
- Options to suit drawers from 315mm internal width
- Cutlery tray also available for 480mm internal width drawers
- Easy-clean surface

Cutlery Trays

Item Code	Description	Cab	Min W	Min H	Min D
WCT.45.WH	Economy Cutlery Tray, White	450	315-434	56	352-434
WCT.60.WH	Economy Cutlery Tray, White	600	480-550	56	380-490

Utensil Tray

Item Code	Description	Cab	Min W	Min H	Min D
WCT.45.UT	Economy Utensil Tray, White	450	315-434	56	352-434



Photo courtesy of Highland Kitchens & Joinery, Taupo





Photo courtesy of AJR Cabinetry & Design, Marton

Inoxa Cutlery Organisers

- Good looking, quality stainless steel
- Plastic ends for scratch resistance and lessening noise
- Movable plastic cross dividers
- Pre-built kits in popular configurations to suit drawer widths from 450mm to 1000mm and drawer depths from 450mm to 550mm (front to back)
- If our pre-built kits don't suit your project, build your own unique solution from components

Item Code	Cab	Min W	Min H	Min D
GRB450.45	450	306	64	424
GRB450.50	500	385	64	424
GRB450.60	600	484	64	424
GRB450.70	700	562	64	424
GRB450.80	800	660	64	424
GRB450.90	900	765	64	424
GRB450.10	1000	854	64	424
GRB500.45	450	306	64	474
GRB500.50	500	385	64	474
GRB500.60	600	484	64	474
GRB500.70	700	562	64	474
GRB500.80	800	660	64	474
GRB500.90	900	765	64	474
GRB500.10	1000	854	64	474
GRB550.45	450	306	64	524
GRB550.50	500	385	64	524
GRB550.60	600	484	64	524
GRB550.70	700	562	64	524
GRB550.80	800	660	64	524
GRB550.90	900	765	64	524
GRB550.10	1000	854	64	524



View images of all the options on www.fit-nz.co.nz




Photo courtesy of Harrisons Kitchens, part of Harrisons.nz

Inoxa Utensil Organisers

- Good looking, quality stainless steel
- Plastic ends for scratch resistance and lessening noise
- Movable plastic cross dividers
- Large central spaces allow for irregularly shaped utensils
- Pre-built kits in popular configurations to suit drawer widths from 500mm to 1000mm and drawer depths from 450mm to 550mm (front to back)
- If our pre-built kits don't suit your project, build your own unique solution from components

Item Code	Cab	Min W	Min H	Min D
GRB450.70U	500-700	400	64	424
GRB450.80U	800	584	64	424
GRB450.90U	900	599	64	424
GRB450.10U	1000	876	64	424
GRB500.70U	500-700	400	64	474
GRB500.80U	800	584	64	474
GRB500.90U	900	599	64	474
GRB500.10U	1000	876	64	474
GRB550.70U	500-700	400	64	524
GRB550.80U	800	584	64	524
GRB550.90U	900	599	64	524
GRB550.10U	1000	876	64	524



View images of all the options on www.fit-nz.co.nz

Cross dividers
can be adjusted
or removed to
suit your needs



Inoxa Drawer Organisers

- Good looking, quality stainless steel
- Plastic ends for scratch resistance and lessening noise
- Movable plastic cross dividers
- Options to suit drawer depths from 450mm to 550mm (front to back)
- Trays with bottoms and open organiser units available
- Trays available in 1 row (103mm wide), 3 row (total 280mm wide) and 3 rows plus organiser (total 378mm wide)
- Open organisers available in 1 row (105mm wide), 2 row (202mm wide) and 2 row (291mm wide)

Item Code	Min W	Min H	Min D
GRB450B	103	64	424
GRB500B	103	64	474
GRB550B	103	64	524
GRB450C	280	64	424
GRB500C	280	64	474
GRB550C	280	64	524
GRB450I	378	64	424
GRB500I	378	64	474
GRB550I	378	64	524
GRB500C.2	280	64	474
GRB550C.2	280	64	524

Item Code	Min W	Min H	Min D
GRB450D	105	64	424
GRB500D	105	64	474
GRB550D	105	64	524
GRB450E	202	64	424
GRB500E	202	64	474
GRB550E	202	64	524
GRB450F	291	64	424
GRB500F	291	64	474
GRB550F	291	64	524



High quality stainless steel trays to suit a wide range of drawers



Photo courtesy of Duncan Joinery, Temuka

Inoxa Drawer Organiser Components

- Build your own high quality stainless steel drawer organising system from the components
- Select trays, dividers, connectors and adjustable cross dividers

Trays

Item Code	Description	Min W	Min H	Min D
GRB020S	Stainless Steel Tray, 176mm Deep	88	64	176
GRB030S	Stainless Steel Tray, 264mm Deep	88	64	264



Tray Dividers & Connectors

Item Code	Description	Min H
GRB070Q.45	Stainless Steel Divider, 424mm	64
GRB070Q	Stainless Steel Divider, 474mm	64
GRB070Q.55	Stainless Steel Divider, 524mm	64
GRB080Q	End Connector, 176mm	64
GRB090Q	End Connector, 80mm	64
GRB050Q	Cross Divider, 88mm	64
GRB060Q	Cross Divider, 176mm	64



Drawer Divider Panels & Connectors

Item Code	Description
GRB101	Aluminium Divider Panel, 450mm
GRB102	Aluminium Divider Panel, 500mm
GRB103	Aluminium Divider Panel, 550mm
GRB104	Aluminium Trimmable Cross Divider, 1000mm
GRB105	Springloaded Plastic Connector Ends (Pair)

Anti Slip Drawer Matting

Reduce rattling, slipping, sliding and noise in your drawers!

- Anti-slip drawer matting is perfect for minimising rattling and sliding in drawers in the kitchen, bathroom, office, workshop and more
- Our supplier is based in Italy and has been operating for more than 30 years
- Quality European product with easy to clean surface
- Reduces noise from drawer contents
- Anti-slip backing keeps matting in place
- Available in white, dark grey and black
- Sold in complete 5m, 10m and 20m rolls and priced per roll

Item Code White	Item Code Coal Dust	Item Code Black	Description	Roll Width	Sales Unit
ASMFk4745WH	ASMFk4745GY	ASMFk4745BK	Anti-slip matting	474mm	5m roll
ASMFk47410WH	ASMFk47410GY	ASMFk47410BK	Anti-slip matting	474mm	10m roll
ASMFk47420WH	ASMFk47420GY	ASMFk47420BK	Anti-slip matting	474mm	20m roll
ASMFk5245WH	ASMFk5245GY	ASMFk5245BK	Anti-slip matting	524mm	5m roll
ASMFk52410WH	ASMFk52410GY	ASMFk52410BK	Anti-slip matting	524mm	10m roll
ASMFk52420WH	ASMFk52420GY	ASMFk52420BK	Anti-slip matting	524mm	20m roll
ASMFk1455WH	ASMFk1455GY	—	Anti-slip matting	1450mm	5m roll
ASMFk14510WH	ASMFk14510GY	—	Anti-slip matting	1450mm	10m roll
ASMFk14520WH	ASMFk14520GY	—	Anti-slip matting	1450mm	20m roll





Open Space Drawer Organising System

- Flexible, contemporary drawer organising system using plastic profiles, steel dividers and wooden boxes
- Mix and match components to create your own customised drawer layout
- Add your own patterned drawer liner or inlay mat underneath to create a unique, attractive finish

How does it work?

- You select the Open Space profiles, dividers and wooden boxes you require
- You add your own inlay or drawer liner to get the look you want
- Plastic profiles in black are trimmed from 1200mm lengths to fit front and back of drawer
- Steel dividers in black or white fit into precut slots in plastic profiles
- Wooden boxes in oak nest within steel divider

Item Code	Description	Colour
DRO104	Open Space Plastic Profile, 1200mm long, (2 required per drawer)	Black
DRO105	Open Space Steel Divider, 467 x 51mm high	Black
DRO106	Open Space Steel Divider, 467 x 129mm high	Black
DRO113	Open Space Steel Divider, 467 x 51mm high	White
DRO114	Open Space Steel Divider, 467 x 129mm high	White
DRO107	Open Space Wooden Box, 162 x 80mm	Ash
DRO108	Open Space Wooden Box, 298 x 80mm	Ash





**Office and
Distribution**

22 Hood Street
Wellsford 0900
09 431 0025

info@fit-nz.co.nz
www.fit-nz.co.nz

**Christchurch
Distribution
and Showroom**

4 Morse Road
Wigram
Christchurch 8042

